

Smart Interactive Display

MW3565-T-Z



Specifications

Model	MW3565-T-Z
Display	
Screen Size	65 inches
Backlight	DLED (Direct LED)
Pixel Pitch(mm)	0.372 x 0.372mm
Resolution	3840*2160
Brightness(cd/m ²)	350
Contrast	1200:1
Response Time(ms)	8
Aspect Ratio	16:9
Color	1.07B
Viewing Angle	Horizontal 178°, Vertical 178°
View Area(W*H)	1428.48mm*803.52mm
Refresh Rate	60Hz
LED Screen Life	50,000 hrs.
Android System	
RAM	8G
ROM	128G

CPU	A73*4 + A53*4
GPU	G52_MC8
OS	Android 13.0
Touch	
Sensing Type	Infrared Touch Frame, support 20 touch points
Glass	4mm tempered glass, level 7 on Mohs hardness scale, anti-glare
Touch Accuracy (mm)	±1
Response Time (ms)	≤8
Recognizable object (mm)	2
Touchscreen input	Opaque objects (e.g. finger, pen, etc.)
Support System	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome
Interface	
Front interface	3* USB3.0、1* Type C、1* Touch USB、1* HDMI in
Rear interface	1* RJ45 IN、1*HDMI IN、1*RS232、1*USB 2.0、1*USB 3.0、1*MIC IN、1*TF、1*USB 2.0 OTG、1*HDMI OUT、1*SPDIF、1*LINE OUT、1*TOUCH USB
Camera & Microphone	
Camera	13MP Camera
Microphone	Linear Array microphone With Audio Pick-up Distance up to 8 Meter
Speaker	
Speaker	2*20W
Channel	2.0
Bluetooth	
Version	5.0
Dual-module WIFI6	
Version	Wi-Fi : 802.11 b/g/n AP : 802.11 a/b/g/n/ac
Working Frequency	2.4GHz/5GHz
Working Distance(m)	0~12
General	
Default System Language	English / Nepali and others
Whiteboard	Built in whiteboard application
Wireless Screen Mirroring	Wireless Screen Mirroring Feature Support on Windows, MAC, IOS and Android OS Platform.
Power Supply	AC90V to AC264V
Overall power consumption (W)	≤140 (without OPS)
Consumption(W)	≤0.5(Standby)
Operation Temperature	0°C~40 °C
Operating Humidity	10%~80% (No Condensation)
Storage Temperature	-20~60°C
Storage Humidity	10%~90%(No-condensing)

Product Size(W*H*D) (mm)	1483.8*886.9*140.8
Packing Size(W*H*D)(mm)	1615.8*220*1012
Weight(kg)	Net Weight:45 Gross Weight:55
Accessory	
Standard	2*Touch Pen、 1*Wall Mount、 1*power cord、 1*quick guide、 1*Remote control, 1 Trolley Stand

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.