

22" LED FHD Monitor

MW3222-X (only for South Asia)



Key Features


- True color display
- Resolution is up to at 1920*1080
- Wide view of field:178°(H)/ 178°(V)
- Specific menu design, which is simple to operate
- Support 7*24 working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket

Specifications

| | |
|---------------------------------|---|
| Model | MW3222-X |
| Display | |
| Display Type | LED Backlight |
| Screen Size | 21.5" |
| Pixel Pitch (mm) | 0.248*0.248 |
| Max Resolution | 1920*1080 |
| Brightness (cd/m ²) | 250 |
| Contrast | 3000:1 |
| Response Time (ms) | 7 |
| color | 16.7M |
| Viewing Angle | Horizontal 178°, Vertical 178° |
| Interface | |
| VGA | 1 |
| HDMI | 1 |
| Refresh Rate | |
| Refresh Rate | 60 Hz |
| Mounting | |
| VESA (mm) | 100*100 |
| General | |
| Power supply | DC 12V, 2A |
| Consumption (W) | ≤22 (on) ≤0.5 (Standby) |
| Operation Temperature | 0°C ~ 40 °C |
| Storage Temperature | -20°C ~ 60°C |
| Dimensions (W*H*D)(mm) | 491.3*295.2*40.2(No Pedestal) 491.3*381.7*200(With Pedestal) |
| Package dimensions (W*H*D)(mm) | 553*371*121 |
| Weight (kg) | Net Weight:2.2 Gross Weight:3.3 |

Appearance

Dimensions



Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com;globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.