

22 " LED monitor

MW-LD22-B

UNV




Features

- Resolution is up to at 1920*1080.
- Refresh rate up to 100Hz.
- 178° horizontal and vertical viewing angle.
- Screen can reduce blue light, protect eyes.
- Metal body with ultra-narrow bezel.
- Shielding cover design, effectively preventing electromagnetic radiation.
- Stable structure design, highly durable.
- Automatically detect if the signal is connected successful.

Specifications


Panel	Description
Panel Type	LED Backlight
Panel Size	22
Resolution	1920*1080
Color Support	16.7M
Brightness (cd/m ²)	250
Contrast Ratio	3000:1
Refresh Rate	100Hz
Response Time (ms)	5
Viewing Angle (H/V)	Horizontal 178°, Vertical 178°
Interface	Description
Video Input	1* HDMI、1*VGA
Audio Input	1* Audio in
Speaker	Description
Speaker	2*1.5 W
VESA	Description
VESA (mm)	75*75
General	Description
Input Voltage	DC 12V, 2A
Typical power consumption (W)	≤24 (on)
Standby power consumption (W)	≤0.5(Standby)
Product Dimensions (W*H*D) (mm)	491.66*376.97*138.79 (With Pedestal)
Package Dimensions (W*H*D) (mm)	553*365*112
Weight (Kg)	Net Weight:2.3 Gross Weight:3.4
Operation Temperature	0° C ~ 40 ° C
Operating Humidity	10%~85% (No Condensation)
Storage Temperature	-10° C ~ 50° C
Storage Humidity	10%~90% (No Condensation)
Standard	1* Monitor base、1*HDMI cable、1* Power adapter、1*Quick Guide (Adjust according to customer needs)

Dimensions



Interface

UNV



Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

http://www.uniview.com

©2023 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.