

LED FHD Monitor

MW3222-Y (Only South Asia)



Key Features

- True color display
- Resolution is up to at 1920*1080
- Wide view of field:178°(H)/ 178°(V)
- Specific menu design, which is simple to operate
- Support 7*24 working and lower power consumption
- Adaptively recognize signal
- VESA stand bracket
- Support multiply language



Specifications

Model	MW3222-Y
Display	
Display Type:	LED Backlight
Screen Size	21.5"
Pixel Pitch(mm)	0.248*0.248
Max Resolution	1920*1080
Brightness(cd/m ²)	250


Contrast	3000:1
Response Time(ms)	7
color	16.7M
Viewing Angle	Horizontal 178°, Vertical 178°
Interface	
VGA	1
HDMI	1
OSD	
Multi- Language	8 (English、France、Spanish、German、Russia、Korea、Japanese、Simplified Chinese)
Mounting	
VESA(mm)	100*100
General	
Power supply	DC 12V, 2A
Consumption	24 W(on) <0.5 W(Standby)
Operation Temperature	0°C~40 °C
Operating Humidity	20%~85% (No Condensation)
Product Size(W*H*D) (mm)	508.02*307.9*40(No Pedestal) 508.02*392.87*200(With Pedestal)
Weight(kg)	Net Weight:2.3 Gross Weight:3.4
Accessory	
Standard	1*HDMI cable、1*Adapter& power cable、1*Pedestal、1*Quick Guide

Appearance

Dimensions



Interfaces



Order Information

Model	Remake
MW3222-Y	LED FHD Monitor

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.