

# Smart Interactive Display

MW3565-T-E



## Key Features

- Ultra-narrow bezel design, built-in camera & microphone module integration bezel design, minimalist appearance.
- Zero gap Bonding technology, low parallax writing and wider viewing angles.
- 4K Ultra HD display ,support full channel 4K UI display.
- Support for Wireless projection.
- Built-in 8-array microphone and 13 million autofocus camera.
- One network support, Android and OPS both on Gigabit network.
- Support network sharing.

## Specifications

Model	MW3565-T-E
Display	
Screen Size	65 inches
Backlight	DLED
Pixel Pitch(mm)	0.372 x 0.372mm
Resolution	3840*2160
Brightnes(cd/m <sup>2</sup> )	350
Contrast	1200:1
Response Time(ms)	8
Color	1.07B
Viewing Angle	Horizontal 178°, Vertical 178°
View Area(W*H)	1428.48mm*803.52mm

Android System	
RAM	8G
ROM	128G
CPU	Quad Core A55-1.9GHz
GPU	Mali G52MP2
OS	Android 13.0
Touch	
Sensing Type	Infrared Touch Frame, support 20 touch points
Touch Accuracy (mm)	±2
Response Time (ms)	≤8
Recognizable object (mm)	2
Touchscreen input	Opaque objects (e.g. finger, pen, etc.)
Support System	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome
Interface	
Input Interface	3*HDMI IN、1*USB 2.0、5*USB 3.0、2*TYPE C、1*PC AUDIO IN、1*VGA IN、1*DP IN
Output Interface	2* TOUCH、1* LINE OUT、1* OPTICAL OUT、1*HDMI OUT
Control Interface	1*RS232、1*RJ45 IN、1* RJ45 OUT
Speaker	
Speaker	2*15W
Channel	2.0
Bluetooth	
Version	5.0
Working Frequency	2.4GHz
Working Distance(m)	0~10
Dual-module WIFI5	
Version	802.11 ac/b/g/n/a/ax
Working Frequency	2.4GHz/5GHz
Working Distance(m)	0~12
Camera	
Pixel	13MP
Qty	1
Microphone	
Pick-up distance	0~8m
Qty	8
General	
Power Supply	AC90V to AC264V
Consumption(W)	≤0.5(Standby)
Operation Temperature	0°C~40 °C
Operating Humidity	10%~80% (No Condensation)

Storage Temperature	-20~60℃
Storage Humidity	10%~90%(No-condensing)
Product Size(W*H*D) (mm)	1483.8x 897.9x 91mm
Packing Size(W*H*D)(mm)	1590x 1110x 200mm
Weight(kg)	Net Weight:44 Gross Weight:54
<b>Accessory</b>	
Standard	2*Touch Pen、 1*Wall Mount、 1*power cord、 1*quick guide、 1*Remote control

**Zhejiang Uniview Technologies Co.,Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.